



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Reports of States and yearly and monthly reports of cities of the United States.

ALABAMA—*Montgomery*.—Months of November and December, 1898. Census population, 21,883. Total number of deaths in November, 18; in December, 20.

CALIFORNIA—*Oakland*.—Month of December, 1898. Estimated population, 75,000. Total number of deaths, 86; including diphtheria, 2; enteric fever, 1; scarlet fever, 1; influenza, 1, and 14 from phthisis pulmonalis.

Sacramento.—Month of December, 1898. Estimated population, 30,000. Total number of deaths, 60, including diphtheria 1; enteric fever 2, and 11 from phthisis pulmonalis.

INDIANA—*Michigan City*.—Two weeks ended January 14, 1899. Estimated population, 15,000. Total number of deaths, 11.

MASSACHUSETTS—*Worcester*.—Month of December, 1898. Estimated population, 106,202. Total number of deaths, 131, including diphtheria, 5; enteric fever, 3; scarlet fever, 2, and 15 from phthisis pulmonalis.

MICHIGAN—Reports to the State board of health, Lansing, for the week ended January 14, 1899, from 70 observers, indicate that inflammation of kidney decreased in area of prevalence. Phthisis pulmonalis was reported present at 150, scarlet fever at 51, enteric fever at 25, diphtheria at 22, measles at 21, whooping cough at 19, and smallpox at 2 places—Detroit and Redford Township.

MINNESOTA—*Minneapolis*.—Month of December, 1898. Estimated population, 225,602. Total number of deaths, 185, including diphtheria, 6; enteric fever, 5; scarlet fever, 1; whooping cough, 3, and 17 from phthisis pulmonalis.

St. Paul.—Month of December, 1898. Estimated population, 215,582. Total number of deaths, 139, including diphtheria, 5; enteric fever, 3; scarlet fever, 1; whooping cough, 2; influenza, 2, and 19 from phthisis pulmonalis.

OHIO.—Reports to the State board of health for the four weeks ended December 31, 1898, from 65 localities, having an aggregate population of 1,214,579, show a total of 37 deaths from diphtheria; enteric fever, 14; scarlet fever, 8, and 3 from whooping cough.

Cleveland.—Month of December, 1898. Estimated population, 370,000. Total number of deaths, 496, including diphtheria, 26; enteric fever, 22; scarlet fever, 6, and 22 from phthisis pulmonalis.

Columbus.—Month of December, 1898. Estimated population, 135,000. Total number of deaths, 137, including diphtheria, 2; enteric fever, 2, and 25 from phthisis pulmonalis.

PENNSYLVANIA—*Northumberland*.—Year ended December 31, 1898. Estimated population, 2,744. Total number of deaths, 26, including diphtheria, 1, and 4 from phthisis pulmonalis.

TENNESSEE—*Memphis*.—Month of November, 1898. Estimated population, 61,747. Total number of deaths, 108, including enteric fever, 2, and 22 from phthisis pulmonalis.

Month of December. Total number of deaths, 114, including diphtheria, 2; enteric fever, 1; scarlet fever, 2; influenza, 1, and 14 from phthisis pulmonalis.

TEXAS—*San Antonio*.—Month of December, 1898. Estimated population, 55,000. Total number of deaths, 118, including diphtheria, 2; enteric fever, 1; scarlet fever, 1, and 24 from phthisis pulmonalis, of which 17 were of nonresidents.

UTAH—*Salt Lake City*.—Month of December, 1898. Estimated population, 70,000. Total number of deaths, 50, including enteric fever, 3; scarlet fever, 1, and 5 from phthisis pulmonalis.

VIRGINIA—*Petersburg*.—For month ended December 26, 1898. Estimated population, white, 12,000; colored, 13,000; total, 25,000. Number of deaths, white, 19; colored, 22; total, 41, including influenza, 2, and 4 from phthisis pulmonalis.

WASHINGTON—*Seattle*.—Month of December, 1898. Estimated population, 70,000. Total number of deaths, 55, including diphtheria, 4; enteric fever, 2, and 8 from phthisis pulmonalis.

WISCONSIN—*Milwaukee*.—Month of December, 1898. Estimated population, 280,000. Total number of deaths, 330, including diphtheria, 10; enteric fever, 3; whooping cough, 1, and 32 from phthisis pulmonalis.